| * / | 37 | | | | Atty. Docket No. Serial No. UTXB:715US 10/620,278 | | | | |
|----------------|--------------------|---|----------|------|---|----------|--------|---------------|------------------------|
| | | d Publications for DISCLOSURE | | | Applicant Barrett R. Ha | rvey | et al. | | |
| INF | | everal sheets if neces | | | Filing Date: July 15, 2003 | | | Group 1645 | p: |
| Ū. | S. Patent See P | Documents | Fore | _ | atent Document | is | | _ | Other Art ee Page 1 |
| | | | II C D | o to | nt Docume | nte | | | |
| Exam. | Ref. Des. | Document Number | Date | | Name | | Class | Sub | _ |
| Init. | A1 | 5,233,409 | 8/03/93 | Sch | wab | \dashv | 356 | 402 | 2/25/92 |
| The T | A2 | 5,571,698 | 11/05/96 | | ner et al. | \dashv | 435 | 69.7 | 6/18/93 |
| | A2 A3 | 5,780,279 | 7/14/98 | | thews et al. | _ | 435 | 172.3 | 3 4/05/95 |
| + | A4 | 5,824,520 | 10/20/98 | | lligan-Kehoe | _ | 435 | 91.4 | 1 7/19/97 |
| | A5 | 5,837,500 | 11/17/98 | ├ | ner et al. | _ | 435 | 69.7 | 4/03/95 |
| 1 | A6 | 5,922,545 | 7/13/99 | Mat | theakis and Dow | ег | 435 | 6 | 7/29/97 |
| | | | Foreign | Pa | tent Docur | nei | nts | | |
| Exam. Init. | Ref. Des. | Document Number | Date | | Country | С | lass | Sub Class | Translation Yes/No |
| | | | | | | | | | |
| | Other A | Art (Includi | ing Auth | or, | Title, Date | Pe | ertine | nt Pag | ges, Etc.) |
| Exam. Init. | Ref. Des. | Citation | | | | | | | |
| M | C1 | Boder et al., "Directed evolution of antibody fragments with monovalent femtomolar antigen- binding affinity," Proc. Natl. Acad. Sci. USA, 97(20):10701-10705, 2000. | | | | | | | |
| | C2 | Burioni et al., "A new superaction technique for molecular cloning or rare antiviral antibody specificities from phage display libraries," Res. Virol., 149:327-330, 1998. | | | | | | | |
| | C3 | Burman et al., J. Bacteriol., "Murein and the outer penetration barrier of escheriachia coli K-12, proteus mirabilis, and pseudomonas aeruginosa," Journal of Bacteriology, 112(3):1364-1374, 1972. | | | | | | | |
| | C4 | Chen et al., "Selection and analysis of an optimized anti-VEGF antibody: crystal structure of an affinity-matured Fab in complex with antigen," J. Mol. Biol., 293:865, 1999. | | | | | | | |
| | C5 | C5 Chen et al., Nat. Biotechnol., "Isolation of high-affinity ligand-binding proteins by periplasmic expression with cytometric screening (PECS)," 19(6):537-542, 2001. | | | | | | | |
| $\sqrt{}$ | | | | | | | | | |

| Form PTO-1449 (modified) | | Atty. Docket No. UTXB:715US | Serial No. 10/620,278 | |
|--------------------------------------|-------------|------------------------------------|--------------------------|--|
| List of Patents and Publications for | Applicant's | Applicant Barrett R. Harvey et al. | | |
| INFORMATION DISCLOSURE S | TATEMENT | | | |
| (Use several sheets if necessa | ry) | Filing Date: July 15, 2003 | Group: 1645 | |
| | | atent Documents ee Page 1 | Other Art See Page 1 | |

| Exam. | Ref. Des. | Citation |
|-------|--------------|--|
| THE | C6 | Chen et al., "In vitro scanning saturation mutagenesis of all the specificity determining residues in an antibody binding site," Protein Eng., 12(4):349-356, 1999. |
| 1 | C7 | Chowdhury and Pastan, "Improving antibody baffinity by mimicking somatic hypermutation in vitro," Nat. Biotech., 17:568, 1999. |
| | C8 | Coia et al., "Use of mutator cells as a means for increasing production levels of a recobinant antibody directed against Hepititis B," Gene, 201:203, 1997. |
| | C9 | Corey et al., "Trypsin display on the surface of bacteriophage," Gene, 128:129, 1993. |
| | C10 | Dall'Aqua and Carter, "Antibody engineering," Curr. Opin. Struct. Biol., 8:443, 1998. |
| | C11 | Daugherty et al., "Flow cytometric screening of cell-based libraries," J. Immunol. Methods, 243:211, 2000. |
| | C12 | Daugherty et al., "Quantitative analysis of the effect of the mutation frequency on the affinity maturation of single chain Fv antibodies," Proc. Natl. Acd. Sci. USA, 97:2029-2034, 2000. |
| | C13 | Daugherty et al., "Development of an optimized expression system for the screening of antibody libraries displayed on the Escherichia coli surface," Protein Eng., 12:613-621, 1999. |
| | C14 | de Haard et al., "A large non-immunized human fab fragment phage library that permits rapid isolation and kinetic analysis of high affinity antibodies," J. Biol. Chem., 274:18218, 1999. |
| | C15 | De Haard et al., "Creating and engineering human antibodies for immunotherapy," Advanced Drug Delivery Reviews, 31:5-31, 1998. |
| | C16 | Decad and Nikaido, "Outer membrane of gram-negative bacteria," J. Bacteriol., 128:325, 1976. |
| | C17 | Deng et al., "Selection of antibody single-chain variable fragments with improved carbohydrate binding by phage display," J. Biol. Chem., 269:9533, 1994. |
| | C18 | Deng et al., "Basis for selection of improved carbohydrate-binding single-chain antibodies from synthetic gene libraries," Proc. Natl. Acad. Sci. USA, 92:4992, 1995. |
| | C19 | deWilt et al., "Antibody arrays for high-throughput acreening of antibody-antigen interactions," Nat. Biotechnol., 18:989, 2000. |
| V | C20 | Dueñas and Borrebaeck, "Clonal selection and amplification of phage displayed antibodies by linking antigen recognition and phage recognition," <i>Biotechnology</i> , 12:999, 1994. |

| 25327293.1 | _ | Ω_{Λ} | | |
|---|-------------------|--|--|--|
| Examiner: | buen | affro | DATE CONSIDERED: | 2/27/06 |
| EXAMINER: INITIAL CITATION IF NOT IN CO | IF REFERENCE CONS | idered, whether or not ot considered. Include | CITATION IS IN CONFORMANCE WITH MF COPY OF THIS FORM WITH NEXT COMMUN | PEP609; DRAW LINE THROUGH VICATION TO APPLICANT. |

| Form PTO-1449 (modified) | | Atty. Docket No. UTXB:715US | Serial No. 10/620,278 | |
|-------------------------------------|---------------|------------------------------------|--------------------------|--|
| List of Patents and Publications fo | r Applicant's | Applicant Barrett R. Harvey et al. | | |
| INFORMATION DISCLOSURE S | STATEMENT | · | | |
| | | Filing Date: | Group: | |
| (Use several sheets if necess | агу) | July 15, 2003 | 1645 | |
| U.S. Patent Documents See Page 1 | | atent Documents ee Page 1 | Other Art See Page 1 | |

| Exam. Init. | Ref. Des. | Citation |
|----------------|--------------|--|
| WH | C21 | Georgiou et al., "Display of heterologous proteins on the surface of microorganisms: from the screening of combinatorial libraries to live recombinant vaccines," Nat. Biotechnol., 15:29-34, 1997. |
| | C22 | Georgiou, "Analysis of large libraries of protein mutants using flow cytometry," Adv. Protein Chem., 55:293-315, 2000. |
| | C23 | Giep et al., "pSKAP/S: an expression vector for the production of single-chain Fv alkaline phosphatase fusion proteins," Prot. Exp. Purif., 16:63-69, 1999. |
| | C24 | Griffiths et al., "Isolation of high affinity human antibodies directly from large synthetic repertoires," EMBO J., 13:3245-3260, 1994. |
| | C25 | Hawkins et al., "Selection of phage antibodies by binding affinity mimicking affinity maturation," J. Mol. Biol., 226:889-896, 1992. |
| 1 | C26 | Hayhurst and Georgiou, "High-throughput antibody isolation," Curr. Opin. Chem. Biol., 5:683-689, 2001. |
| | C27 | Hayhurst et al., "Isolation and expression of recombinant antibody fragments to the biological warfare pathogen brucella melitensis," J. Immunol. Methods, 276:185-196, 2003 |
| | C28 | Hayhurst, "Improved expression characteristics of single-chain Fv fragments when dowstream of the Escherichia coli maltose-binding protein or upstream of a single immunoglobulin-constant domain," <i>Protein Expr. Purif.</i> , 18:1-10, 2000. |
| 1 | C29 | Hoess, Chem. Rev., "Protein design and phage display," 101:3205-3218, 2001. |
| | C30 | Hoichen et al., Applied and Environmental Microbiology, "Novel bacterial membrane surface display system using cell wall-less L-forms of proteys mirabilis and escherichia coli," 68(2):525-531, 2002. |
| | C31 | Hudson et al., "Recombinant antibody fragments," Curr. Opin. Biotechnol., 9:395, 1998. |
| | C32 | Hultgren et al., "Pilus and nonpilus bacterial adhesins: assembly and function in cell recognition," Cell, 73:887-901, 1993 |
| | C33 | Johns et al., "In vivo selection of sFv from phage display libraries," J. Immunol. Methods, 239:137-151, 2000. |
| J | C34 | Kjaer et al., "Glycerol diversities phage repertoire selections and lowers non-specific phage absorption," FEBS Lett., 431:448-452, 1998. |
| 25327293.1 | | |

25327293.1

EXAMINER:

DATE CONSIDERED:

2/27/06

| Form PTO-1449 (modified) | | Atty. Docket No. UTXB:715US | Serial No. 10/620,278 | |
|--------------------------------------|---------------|------------------------------------|--------------------------|--|
| List of Patents and Publications for | r Applicant's | Applicant Barrett R. Harvey et al. | | |
| INFORMATION DISCLOSURE S | TATEMENT | | | |
| | | Filing Date: | Group: | |
| (Use several sheets if necessary) | | July 15, 2003 | 1645 | |
| U.S. Patent Documents Foreig | | itent Documents e Page 1 | Other Art See Page 1 | |

| Exam. | Ref. Des. | Citation |
|-------|--------------|---|
| M | C35 | Knappik et al., "Fully synthetic human embinatorial antibody libraries (HuCAL) based on modular consensus frameworks and CDRs randomized with trinucleotides," J. Mol. Biol., 296:57-86, 2000. |
| | C36 | Krebber et al., "Inclusion of an upstream transcriptional terminator inphage display vectors abolishes backgroud expression of toxic fusions with coat protein g3p," Gene, 178:71-74, 1996. |
| | C37 | Krebber et al., "Reliable cloning of functional antibody variable domains form hybridomas and spleen cell repertoires employing a reengineered phage display system," J. Immunol. Methods, 201:35-55, 1997. |
| | C38 | Levitan, "Stochastic modeling and optimization of phage display," J. Mol. Biol., 277:893-916, 1998. |
| | C39 | Low et al., "Mimicking somatic hypermutation: affinity maturation of antibodies displayed on bacteriophage using a bacterial mutator strain," J. Mol. Biol., 260: 359-368, 1996. |
| | C40 | MacKenzie and To, "The role of valency in the selection of anti-carbohydrate single-chain Fvs from phage display libraries," J. Immunol. Methods, 220:39-49, 1998. |
| | C41 | MacKenzie et al., "Analysis by surface plasmon resonance of the influence of valence on the ligand binding affinity and kinetics of an anti-carbohydrate antibody," J. Biol. Chem., 271(3):1527-1533, 1996. |
| | C42 | Maenaka et al., "A stable phage-display system using a phagemid vector: phage display of hen egg-white lysozyme (HEL), Escherichia coli alkaline, phosphatase, and anti-HEL monoclonal antibody, HyHEL10," Biochem. Biophys. Res. Commun., 218:682, 1996. |
| | C43 | Malmborg et al., "Selection of binders form phage displayed antibody libraries using the BIAcore biosensor," J. Immunol. Methods, 198:51-57, 1996. |
| | C44 | Maynard and Georgiou, "Antibody Engineering," Annu. Rev. Biomed. Eng., 339-76, 2000. |
| | C45 | Maynard et al., "Protection against anthrax toxin by recombinant antibody fragments correlates with antigen affinity," Nat. Biotechnol., 20:597-601, 2002. |
| | C46 | Mingarro et al., "Membrane-protein engineering," Trends Biotechnol., 15:432-437, 1997. |
| J | C47 | Miroux and Walker, "Over-production of proteins in Escherichia coli: mutant hosts that allow synthesis of some membrane proteins and globular proteins at high levels," J. Mol. Biol., 260:289/298, 1996. |

25327293.1

EXAMINER:

| DATE CONSIDERED:

2/27/06

| Form PTO-1449 (modified) | | Atty. Docket No. UTXB:715US | Serial No. 10/620,278 | |
|--------------------------------------|-----------------|------------------------------------|--------------------------|--|
| List of Patents and Publications for | Applicant's | Applicant Barrett R. Harvey et al. | | |
| INFORMATION DISCLOSURE S | FATEMENT | | | |
| (Use several sheets if necessa | | Filing Date: July 15, 2003 | Group: 1645 | |
| | | atent Documents | Other Art See Page 1 | |

| Exam. Init. | Ref. Des. | Citation |
|---|--------------|---|
| MA | C48 | Mutuberria et al., "Model systems to study the parameters determining the success of phage antibody selections on complex antigens," J. Immunol. Methods, 231:65-81, 1999. |
| | C49 | Nikaido and Vaara, "Molecular basis of bacterial outer membrane permeability," Microbiol. Rev., 49(1):1-32, 1985. |
| | C50 | Nikaido, "Multidrug efflux pumps of gram-negative bacteria," Journal of Bacteriology, 178(20):5853-5859, 1996. |
| | C51 | Oliver, "Periplasm," 88-103, 1996. |
| | C52 | Pini et al., "Design and use of a phage display library," J. Biol. Chem., 273(34):21769, 1998. |
| | C53 | Pugsley, "The complete general secratory pathway in gram-negative bacteria," Microbiol. Rev., 57(1):50-108, 1993. |
| | C54 | Rodi and Makowski, "Phage-display technology-finding a needle in a vast molecular haystack," Curr. Opin. Biotechnol., 10:87-93, 1999. |
| | C55 | Sagt et al., "Impaired cutinase secretion in Saccharomyces cerevisiae induces irregular endoplasmic reticulum (ER) membran proliferation, oxidative stress, and ER-associated degradation," Appl. Environ. Microbiol., 68(5):2155-2160, 2002. |
| | C56 | Sblattero and Bradbury, "Exploiting recombination in single bacteria to make large phage antibody libraries," Nat. Biotechnol., 18:75-80, 2000. |
| | C57 | Seydel et al., "Testing the '2+ rule' for lipoprotein sorting in the Escherichia coli cell envelope with a new genetic selection," Mol. Microbiol., 34(4):810-821, 1999. |
| | C58 | Sheets et al., "Efficient construction of a large nonimmune phage antibody library: the production of high-affiity human single-chain antibodies to protien antigens," Proc. Natl. Acad. Sci. USA, 95:6157-6162, 1998. |
| | C59 | Shusta et al., "Yeast polypeptide fusion surface display levels predict thermal stability and soluble secreation efficiency," J. Micro. Biol., 292:949-956, 1999. |
| 1 | C60 | Stathopoulos et al., "Characterization of Escherichia coli expressing an Lpp'OmpA(46-159)-PhoA fusion protein localized in the outer membrane," Appl. Microbiol. Biotechnol., 45:112-119, 1996. |

25327293.1

EXAMINER:

DATE CONSIDERED:

2/27/06

| Form PTO-1449 (modified) | - | Atty. Docket No. UTXB:715US | Serial No. 10/620,278 | |
|--------------------------------------|-------------|------------------------------------|--------------------------|--|
| List of Patents and Publications for | Applicant's | Applicant Barrett R. Harvey et al. | | |
| INFORMATION DISCLOSURE S | TATEMENT | | | |
| | | Filing Date: | Group: | |
| (Use several sheets if necessary) | | July 15, 2003 | 1645 | |
| U.S. Patent Documents Fore | | Patent Documents ee Page 1 | Other Art See Page 1 | |

| Exam. Init. | Ref. Des. | Citation |
|--|--------------|---|
| the third hypercyariable loop of human immunodeficiency virus: | | Thompson et al., "Affinity maturation of a high-affinity human monoclonal antibody against the third hypercvariable loop of human immunodeficiency virus: use of phage display to improve affinity and broaden strain reactivity," J. Mol.Biol., 256:77-88, 1996. |
| | C62 | Vaughan et al., "Human antibodies with sub-nanometer affinites isolated from a large non-immunized phage display library," Nat. Biotechnol., 14:309-314, 1996. |
| | C63 | Wittrup, "The single cell as a microplate well," Nat. Biotechnol., 18:1039-1040, 2000. |
| | C64 | Yakushi et al., "Lethality of the covalent linkage between mislocalized major outer membrane lipoprotein and the poptidoglycan of Escherichia coli," <i>Journal of Bacteriology</i> , 179(9):2857, 1997. |
| | C65 | Yakushi et al., "A new ABC transporter mediating the detachment of lipid-modified proteins from membranes," Nat. Cell. Biol., 2:212-218, 2000. |
| | C66 | Yamaguchi, "A single amino acid determinant of the membrane localization of lipoproteins in E. coli," Cell, 53(3):423-432, 1988. |
| | C67 | Yu et al., "Lipoprotein-28, a cytoplasmic membrane lipoprotein from Escherichia coli," J. Biol. Chem., 261(5):2284-2288, 1986. |
| | C68 | Co-pending U.S. Patent Application Number 09/699,023 (UTSB:675US), filed on October 27, 2000. |
| V | C69 | Co-pending U.S. Patent Application Number 10/620,049 (UTSB:721US), filed on July 15, 2002 |

EXAMINER: DATE CONSIDERED: 2/27/06

| • | | | 10 | | | | | | | Page 1 of 1 | |
|---|-----------------|---|--------------------------|--------------------------|------------------|----------|-----------------------|-------|------------|-----------------------|--|
| Form PTO-1449 (modified) | | | | | Atty. Docket No. | | | | Serial No. | | |
| | | | | | UTXB:715US | | | | 10/620,278 | | |
| List of Patents and Publication for Apple nt's | | | | | Applicant | | | | | | |
| | | <u> </u> | | Barrett R. Harvey et al. | | | | | | | |
| Information Disclosure Statement | | | | | | | | | | | |
| | | | | | Filing Date: | | | | Group: | | |
| | (Use s | everal sheets if necess | | July 15, 2003 | | | | 1645 | | | |
| U. | Documents age 1 | Foreig | Foreign Patent Documents | | S | | Other Art See Page 1 | | | | |
| | e Page 1 | | | | See | ruge 1 | | | | | |
| · | | | | | | | | | | | |
| U.S. Patent Documents | | | | | | | | | | | |
| Exam. | Ref. | Document | Date | | Name | | Class | - | ub | Filing Date of | |
| Init. | Des. | Number | | | | | C | ass | App. | | |
| | | | | | | | | | | | |
| Foreign Patent Documents | | | | | | | | | | | |
| Exam. | Ref. | Document | Date | Country | | Class | | Sub | | Translation Yes/No | |
| Init. | Des. | Number | | <u> </u> | | <u> </u> | | Class | | Tes/No | |
| | | | | | | | | | | | |
| Other Art (Including Author, Title, Date Pertinent Pages, Etc.) | | | | | | | | | | | |
| Exam. | Citation | | | | | | | | | | |
| Init. | Des. | | | | | | | | | | |
| Wf | C70 | Harvey et al., "Anchored periplasmic expression, a versatile technology for the isolation of high-affinity antibodies from Escherichia coli-expressed libraries," Proc. Natl. Acad. Sci., USA, 101(25):9193-9198, 2004. | | | | | | | | | |
| | | | | | | | | | | | |

25454166.1

EXAMINER:

DATE CONSIDERED:

2/27/06